

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	556	525	1,081	2,949	2,714	5,663	5,972	5,458	11,430	5,345	6,614	11,959	307	437	744	30,877
% by age group			4%			18%			37%			39%			2%	100%

## 2. Mortality

### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	1	0	1	7%	0	0	0	0	0	0	0	0	0	1	3%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	3%
5. Cardiovascular disorders (other)	1	1	2	13%	0	0	0	2	0	2	2	2	4	8	27%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	7%
7. Chronic kidney disease	0	0	0	0%	0	0	0	2	0	2	0	1	1	3	10%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	6	1	7	47%	0	0	0	0	0	0	0	0	0	7	23%
13. Other	2	3	5	33%	0	0	0	1	0	1	1	1	2	8	27%
<b>Total</b>	<b>10</b>	<b>5</b>	<b>15</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>0</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>10</b>	<b>30</b>	<b>100%</b>
% by age group			50%				0%			17%		33%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.4	0.2	0.3
Under 5 Mortality Rate (USMR) (/1000 population/month)	1.0	0.5	0.7
Neonatal Mortality Rate (NNMR) (/1000 population/month)			22.2

### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

### 3.1 Staffing and service availability

Number of full-time clinicians	11.8
Average number of full days on which each health facility was functioning	6.5
Total number of outpatient consultations	52,817
Health facility utilisation rate	6.8
Consultations per clinician per day	53

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,831	3,215	7,046	1044.8	2,605	2,275	4,880	1,336	1,669	3,005	98	140	238	15,169	38%	491.3
Influenza-like illness (ILI)	393	372	765	113.4	220	176	396	232	392	624	20	17	37	1,822	5%	59.0
Lower Respiratory Tract Infection (LRTI)	385	236	621	92.1	140	85	225	89	137	226	9	15	24	1,096	3%	35.5
Watery diarrhoea*	1,539	1,325	2,864	424.7	353	326	679	238	285	523	21	22	43	4,109	10%	133.1
Bloody diarrhoea*	0	3	3	0.4	2	1	3	2	4	6	0	1	1	13	0%	0.4
Skin infection	435	449	884	131.1	469	417	886	332	405	737	35	23	58	2,565	6%	83.1
Eye infection	201	146	347	51.5	171	130	301	141	161	302	11	14	25	975	2%	31.6
Ear infection	150	153	303	44.9	144	141	285	156	237	393	9	22	31	1,012	3%	32.8
Dental Conditions	46	40	86	12.8	219	210	429	630	800	1,430	14	25	39	1,984	5%	64.3
Intestinal Worms	51	59	110	16.3	62	56	118	54	43	97	2	1	3	328	1%	10.6
Acute Jaundice Syndrome*	17	15	32	4.7	13	13	26	2	3	5	0	0	0	63	0%	2.0
Measles (suspected)*	3	1	4	0.6	1	4	5	2	2	4	0	0	0	13	0%	0.4
Meningitis (suspected)*	0	1	1	0.1	2	0	2	0	0	0	0	0	0	3	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	12	9	21	3.1	25	14	39	8	18	26	2	1	3	89	0%	2.9
Fever of unknown origin	5	1	6	0.9	0	1	1	0	1	1	0	0	0	8	0%	0.3
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	1,293	1,243	2,536	376.0	938	1,197	2,135	2,058	3,430	5,488	357	419	776	10,935	27%	354.1
<b>Total</b>	<b>8,361</b>	<b>7,268</b>	<b>15,629</b>	<b>2317.5</b>	<b>5,364</b>	<b>5,047</b>	<b>10,411</b>	<b>5,280</b>	<b>7,587</b>	<b>12,867</b>	<b>578</b>	<b>700</b>	<b>1,278</b>	<b>40,185</b>	<b>100%</b>	<b>1301.5</b>
% by age group			39%				26%			32%		3%		100%		

\* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	3	1	4	13	9	22	183	174	357	114	183	297	680	24%
Hypertension	0	0	0	3	2	5	238	319	557	192	317	509	1,071	39%
Asthma	26	9	35	46	22	68	79	90	169	25	18	43	315	11%
Ischaemic heart disease	3	0	3	0	1	4	34	31	65	13	18	31	100	4%
Cardiovascular disease (other)	2	0	2	1	3	4	21	24	45	12	14	26	77	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	3	3	6	9	1	10	16	1%
Liver disease	1	2	3	0	1	1	1	4	5	1	0	1	10	0%
Thyroid problems	1	1	2	5	3	8	14	42	56	4	7	11	77	3%
Cancer	0	0	0	0	0	0	3	10	13	0	1	1	14	1%
Other	11	9	20	14	22	36	110	157	267	54	40	94	417	15%
<b>Total</b>	<b>47</b>	<b>22</b>	<b>69</b>	<b>82</b>	<b>63</b>	<b>145</b>	<b>686</b>	<b>854</b>	<b>1,540</b>	<b>424</b>	<b>599</b>	<b>1,023</b>	<b>2,777</b>	<b>100%</b>
% by age group			2%			5%			55%			37%		100%

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	27	23	50	123	108	231	59	65	124	0	3	3	408	38%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	0	2	2	0	0	0	2	0%
3. Psychotic disorder (including mania)	0	0	0	8	11	19	32	43	75	3	10	13	107	10%
4. Intellectual disability	0	1	1	14	18	32	36	35	71	1	2	3	107	10%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	1	1	2	112	158	270	5	2	7	279	26%
6. Medically unexplained somatic complaint	0	0	0	0	3	3	6	4	10	2	0	2	15	1%
Other psychological complaints	2	4	6	18	19	37	38	62	100	0	1	1	144	14%
<b>Total</b>	<b>29</b>	<b>28</b>	<b>57</b>	<b>164</b>	<b>160</b>	<b>324</b>	<b>283</b>	<b>369</b>	<b>652</b>	<b>11</b>	<b>18</b>	<b>29</b>	<b>1,062</b>	<b>100%</b>
% by age group			5%			31%			61%			3%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	0	3	3	3	1	4	0	0	0	7	1%
2. Injury (war related)	2	4	6	8	0	8	6	6	12	0	0	0	26	4%
3. Injury ( Burns)	16	15	31	15	7	22	4	8	12	1	0	1	66	11%
4. Assault (with weapon non-war related )	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	52	31	83	205	68	273	73	48	121	6	7	13	490	83%
<b>Total</b>	<b>70</b>	<b>50</b>	<b>120</b>	<b>228</b>	<b>78</b>	<b>306</b>	<b>86</b>	<b>63</b>	<b>149</b>	<b>7</b>	<b>7</b>	<b>14</b>	<b>589</b>	<b>100%</b>
% by age group			20%			52%			25%			2%	100%	

### 3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	56	56	0	1,389	1,389	1,445	76%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	0	0	0	14	14	14	1%
3. Lower abdominal pain	0	28	28	0	384	384	412	22%
Other	0	0	0	0	25	25	25	1%
<b>Total</b>	<b>0</b>	<b>84</b>	<b>84</b>	<b>0</b>	<b>1,812</b>	<b>1,812</b>	<b>1,896</b>	<b>100%</b>
% by age group			4%			96%	100%	

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
<b>Number at beginning of reporting period</b>	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	0	0	0	0	17	17	0	347	347	0	0	0	364
Number of exits	authorized	0	0	0	17	17	0	347	347	0	0	0	364
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total exits</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>17</b>	<b>17</b>	<b>0</b>	<b>347</b>	<b>347</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>364</b>
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for authorised discharges	613
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.7
Bed occupancy	67%
Hospitalisation rate (/1000 population/month)	3.9

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2. General Surgery	0	0		0	0		0	0		0	0	0	0	
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		16	0	0%	291	0	0%	0	0	307	0	0%
6. Gynaecology	0	0		1	0	0%	56	0	0%	0	0	57	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>0</b>	<b>0</b>		<b>17</b>	<b>0</b>	<b>0%</b>	<b>347</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0</b>	<b>364</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 5. Referral

### 5.1 Referrals by location

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
1. MOH Hospital	31		31	7		7	25		25	2		2	65
2. Jordan University Hospital	22		22	22		22	13		13	2		2	59
3. Private affiliated Hospital	278		278	162		162	305		305	56		56	801
4. Royal Medical Services	1		1	2		2	2		2	0		0	5
5. Other	0		0	0		0	1		1	0		0	1

Total number of referred cases out side the camp 931

## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total > 60	Grand total
1.	Paediatrics	177	177	16	16	0	0	0	0	193
2.	Internal medicine	67	67	75	75	202	202	43	43	387
3.	Obstetric	0	0	0	0	11	11	0	0	11
4.	Gynaecological	0	0	1	1	20	20	0	0	21
5.	Surgical	69	69	75	75	78	78	12	12	234
6.	Other	19	19	26	26	35	35	5	5	85

## 6. Laboratory

	Total
Number of laboratory tests conducted	3,198

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	50	543	593
First antenatal visit > 1st trimester	68	1,071	1,139

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	34%

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	2 TT doses	anaemia screening	
	3	2	16	93
				52
				314

Coverage of complete antenatal care	29%
Coverage of antenatal tetanus immunisation	16%
Coverage of anaemia screening in pregnancy	99%

### 7.3 Delivery care

	< 18	≥ 18	Total
Live births	16	300	316
Still births	0	3	3
Low birth weight (<2500 g)	0	11	11
Attended by skilled health worker	16	300	316
Number of obstetric complications treated	0	6	6
Number of caesarean sections performed	0	58	58

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.4
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	3.5%
Proportion of all births performed by caesarean section	18%
Proportion of obstetric complications treated among girls < 18	0%

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	4	11	15

Postnatal Indicators	
Coverage of complete postnatal care	5%

### 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	4	83	2	89	178
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	47	1	39	87
Implantable (Norplant)	0	1	0	0	1
Intra-Uterine Device (IUD)	1	21	1	1	24
Condom (Male)	1	146	0	46	193
Other	0	124	1	20	145

	< 18	≥ 18
Family Planning Counseling*	3	208

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

### Note

*This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Clinics and agencies reporting:

**IMC Primary health center ( Azraq Refugee camp)**

Published on

Contact  
Information

UNHCR  
Asaad Khadum  
Email: KADHUM@unhcr.org

UNHCR  
Ann Burton  
Email: BURTON@unhcr.org

Azraq  
Lina Hamidi  
Email lhamidi@InternationalMedicalCorps.org

We gratefully  
acknowledge the contributions of  
the following agencies:

