

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F					
Refugee population*	218	227	444	871	906	1,777	1,724	1,795	3,519	2,253	2,345	4,599	105	109	214	10,553
% by age group			4%			17%			33%			44%			2%	100%

* Estimated registered population. For multiweek reports, average population is presented

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total > 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	1	0	1	50%	0	0	0	0	0	0	0	0	0	1	50%
Other	0	1	1	50%	0	0	0	0	0	0	0	0	0	1	50%
Total	1	1	2	100%	0	0	0	0	0	0	0	0	0	2	100%
% by age group			100%				0%			0%			0%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.8	0.7	0.8
Under 5 Mortality Rate (U5MR)	3.7	3.5	3.6
Infant Mortality Rate (IMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			27.8

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

1. Morbidity

1.1 Staffing and service availability

Number of full-time clinicians	8.9
Average number of full days on which each health facility was functioning	42.0
Total number of outpatient consultations	6,563
Health facility utilisation rate	5.0
Consultations per clinician per day	18

1.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	% by cause	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F			M	F		M	F		M	F			
Upper Respiratory Tract Infection (URTI)	458	365	823	40%	414	314	728	264	264	528	31	29	60	2139	35%
Influenza-like illness (ILI)	29	30	59	3%	42	26	68	40	29	69	3	1	4	200	3%
Lower Respiratory Tract Infection (LRTI)	65	73	138	7%	61	46	107	40	44	84	6	4	10	339	6%
Watery diarrhoea*	354	313	667	33%	175	163	338	103	102	205	20	6	26	1236	20%
Bloody diarrhoea*	4	8	12	1%	6	7	13	0	1	1	0	0	0	26	0%
Skin infection	48	63	111	5%	105	75	180	63	70	133	5	2	7	431	7%
Eye infection	21	18	39	2%	27	25	52	45	28	73	2	1	3	167	3%
Ear infection	13	8	21	1%	36	28	64	50	36	86	1	2	3	174	3%
Dental Conditions	2	3	5	0%	9	0	9	2	2	4	0	1	1	19	0%
Intestinal Worms	0	4	4	0%	0	0	0	0	0	0	0	0	0	4	0%
Acute Jaundice Syndrome*	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	0%
Measles*	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Meningitis*	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Acute Flaccid Paralysis*	0	1	1	0%	8	1	9	1	3	4	0	0	0	14	0%
Tuberculosis (suspected)	0	3	3	0%	0	0	0	0	0	0	0	0	0	3	0%
Fever of unknown origin	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Sexually Transmitted Infection (STI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	80	84	164	8%	143	151	294	354	385	739	57	50	107	1304	22%
Total	1074	973	2047	100%	1027	836	1863	962	964	1926	125	96	221	6057	100%
% by age group			34%				31%			32%			4%	100%	

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **incidence is cases per 1000 per week

1.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	3	5	8	40	40	80	21	28	49	137	36%
Hypertension	0	0	0	0	0	0	37	52	89	31	28	59	148	39%
Asthma	0	3	3	3	5	8	8	6	14	0	0	0	25	7%
Ischaemic heart disease	0	1	1	4	0	4	1	5	6	2	0	2	13	3%
Cardiovascular disease (other)	0	0	0	0	0	0	2	3	5	0	1	1	6	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Thyroid problems	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
Cancer	0	1	1	0	2	2	0	1	1	0	0	0	4	1%
Other	0	1	1	4	6	10	12	15	27	1	3	4	42	11%
Total	0	6	6	14	18	32	100	123	223	55	60	115	376	100%
% by age group			2%			9%			59%			31%	100%	

1.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Schizophrenia	0	0	0	0	0	0	5	0	5	0	0	0	5	7%
4. Chronic depression	0	0	0	0	0	0	13	4	17	0	0	0	17	22%
5. Anxiety disorder	0	0	0	2	4	6	13	15	28	0	0	0	34	45%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	5	4	9	9	2	11	0	0	0	20	26%
Total	0	0	0	7	8	15	40	21	61	0	0	0	76	100%
% by age group			0%			20%			80%			0%	100%	

1.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (war-related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Assault (with weapon)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4. Burns	0	0	0	0	0	0	1	0	1	0	0	0	1	2%
Other	2	5	7	13	5	18	17	10	27	0	1	1	53	98%
Total	2	5	7	13	5	18	18	10	28	0	1	1	54	100%
% by age group			13%			33%			52%			2%	100%	

2. Referrals

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Paediatric medicine	30	10	0	1	41
General Surgery	0	3	3	0	6
Internal medicine	0	18	50	1	69
Obstetrics	0	0	10	0	10
Gynaecology	0	0	9	0	9
Other	0	10	18	0	28
Total	30	41	90	2	163
% by age group	18%	25%	55%	1%	100%

3. Reproductive Health

3.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	12	79	91
First antenatal visit > 1st trimester	8	105	113
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	0
	2 TT doses	0	0
	anaemia screening	0	0

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	45%
Coverage of complete antenatal care	0%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	0%

3.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	7	15	22

8.2 Delivery care

	< 18	≥ 18	Total
Live births	0	12	12
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	0	12	12
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	0	3	3

Delivery Indicators

Crude birth rate	13.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	25%
Proportion of obstetric complications treated among girls < 18	

Postnatal Indicators

Coverage of complete postnatal care	31%
-------------------------------------	-----

3.3 Family planning

Number of users	Beginnin g	New		Repeat		Discontinued		Total at end
		< 18	≥ 18	< 18	≥ 18	< 18	≥ 18	
1. Combined pill - low dose	0	0	10	0	4	0	0	14
2. Combined pill - high dose	0	0	2	0	0	0	0	2
3. Progestogen-only pill (Micro-val; Micro-lut)	0	0	31	0	10	0	0	41
4. Emergency Contraceptive Pill	0	0	0	0	0	0	0	0
5. Injectable (Depo-Provera)	0	0	2	0	0	0	0	2
6. Implantable (Norplant)	0	0	0	0	0	0	0	0
7. Intra-Uterine Device (IUD)	0	0	1	0	11	0	0	12
8. Condom (Male)	0	1	16	0	6	0	0	23
9. Sterilisation (Male)	0	0	0	0	0	0	0	0
10. Sterilisation (Female)	0	0	0	0	0	0	0	0
11. Other	0	0	5	0	4	0	0	9
Total	0	1	67	0	35	0	0	103

4. EPI. Vaccination

EPI Weeks	New born Kit		Total	Mother Kit		Total
	M	F		< 18	≥ 18	
1. Week 23	3	1	4	0	4	4
2. Week 24	0	0	0	0	0	0
3. Week 25	0	0	0	0	0	0
4. Week 26	2	1	3	0	3	3
5. Week 27	0	0	0	0	0	0
Total	5	2	7	0	7	7

EPI Weeks	1st Month		61 Days		91 Days		121 Days		9 Months		12 Months		18 Months	
	BCG		IPV +Hib + HBV DaPT-1ds		IPV +Hib + HBV DaPT-2ds OPV		IPV+ Hib + HBV DaPT-3ds + OPV		Measles + OPV		MMR-1 + OPV		DPT+OPV +MMR 2	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. Week 23	1	2	4	5	1	3	2	1	0	0	2	2	0	2
2. Week 24	0	1	4	2	3	0	3	2	0	0	0	0	0	4
3. Week 25	0	0	1	0	1	2	3	1	0	0	0	3	1	1
4. Week 26	0	0	3	1	1	2	1	1	0	0	2	2	2	3
5. Week 27	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	1	3	12	8	6	7	9	5	0	0	4	7	3	10
	4		20		13		14		0		11		13	

EPI Weeks	Pregnant women						Non pregnant women					
	TT-1	TT-2	TT-3	TT-4	TT-5	Total	TT-1	TT-2	TT-3	TT-4	TT-5	Total
1. Week 23	0	0	0	0	0	0	0	0	0	0	0	0
2. Week 24	5	0	0	0	0	5	0	0	0	0	0	0
3. Week 25	1	0	0	0	0	1	0	0	0	0	0	0
4. Week 26	0	0	0	0	0	0	0	0	0	0	0	0
5. Week 27	6	0	0	0	0	6	0	0	0	0	0	0
Total	12	0	0	0	0	12	0	0	0	0	0	0

EPI Weeks	Children Visited ORT Corners				Children Received ORS Sachet and sent home				Children Referred to DTUs from the ORT corner			
	<2years		02 - -5		<2years		02 - -5		<2years		02 - -5	
	M	F	M	F	M	F	M	F	M	F	M	F
1. Week 23	0	0	0	0	26	35	21	15	4	1	0	1
2. Week 24	0	0	0	0	24	34	17	16	3	1	0	1
3. Week 25	0	1	0	1	25	35	12	22	3	2	0	1
4. Week 26	1	0	0	0	41	36	17	12	5	0	0	2
5. Week 27	0	0	0	0	0	0	0	0	0	0	0	0
Total	1	1	0	1	116	140	67	65	15	4	0	5
	2		1		256		132		19		5	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Clinics and agencies reporting:

IMC Primary health center (Azraq Refufee camp)

Published on

02 October 2014

Contact Information

Azraq
Lina Hamidi
Email: lhamidi@InternationalMedicalCorps.org

UNHCR
Asa'ad Khadum
Email: KADHUM@unhcr.org

UNHCR
Ann Burton
Email: BURTON@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

