

FEMALE GENITAL MUTILATION/CUTTING COUNTRY PROFILE

Prevalence of Female Genital Mutilation/Cutting (FGM/C) among Women Aged 15-49




Levels: currently, **76%** of women aged 15-49 in Gambia have undergone some form of FGM/C

Trends: prevalence of FGM/C has decreased by 3% between 2005 and 2010




Inequalities: Human rights violations affect women and girls differently. Girls living in rural areas are at the greatest risk of FGM/C.




Projections

To meet the target of reducing the FGM/C rate by half, more intensive interventions and resources are needed




If present trends continue, 129,000 girls born between 2010-2015 will experience FGM/C by 2030 $\,$



Opposition to FGM/C

About 28 percent of women believe FGM/C should be discontinued



Key Indicators

Population size, female age 15-49 (in thousands), 2010	401	World Population Prospects 2012
Prevalence of FGM/C among women 15-49 (%)	76	MICS 2010
Prevalence of FGM/C among girls 15-19 (%)	77	MICS 2010
Ethnic group with the highest prevalence in the country (%)	98	MICS 2010
Existence of national policies and laws banning FGM/C; Year passed	Making progress	FGM/C programme data


Source: MICS 2010 unless indicated | Prepared by Population and Development Branch, Technical Division, UNFPA

FEMALE GENITAL MUTILATION/CUTTING COUNTRY PROFILE

FGM/C among Young Girls


42% daughters aged 0-14 in Gambia have undergone some form of FGM/C, prevalence among girls of the Sarahuleh ethnic groups are extremely high - more than 70%

Indicator captures a certain point in time and not an eternal truth, as these young girls might be cut at a later stage in their lives



Age at FGM/C

More than **half** of the women who have undergone FGM/C were cut before age 5




Data not available


Data not available

Type of FGM/C and Performers of FGM/C

Almost 90% of girls and women who have undergone FGM/C have had their genitalia cut, with some flesh removed



FGM/C is essentially performed by traditional circumcisers (more than 95%)



Monitoring the UNFPA-UNICEF Joint Programme on FGM/C

Community leaders and stakeholders committed to FGM/C abandonment

1000

2011

2012

2500


2000


1500

1000


500

0






Cumulative number of villages declaring the abandonment of FGM/C



Health facilities integrating FGM/C prevention in their antenatal and postnatal care



Source: FGM/C Programme data 2012

1020

2010